Review Article

Computational Simulation of Phase-Molecular Separation-DNA/RNA-Related Function Based on Gene Ontology using Combination of Computational Fluid Dynamics, Machine Learning and Membrane Systems

Alireza Heidari^{1-4*}

¹Faculty of Chemistry, California South University, 14731 Comet St. Irvine, CA 92604, USA ²BioSpectroscopy Core Research Laboratory (BCRL), California South University, 14731 Comet St. Irvine, CA 92604, USA

³Cancer Research Institute (CRI), California South University, 14731 Comet St. Irvine, CA 92604, USA

⁴American International Standards Institute (AISI), Irvine, CA 3800, USA

More Information

*Address for correspondence: Alireza Heidari, Faculty of Chemistry, California South University, 14731 Comet St. Irvine, CA 92604, USA, Email: Scholar.Researcher.Scientist@gmail.com; Alireza.Heidari@calsu.us; Central@aisi-usa.org

Submitted: May 02, 2025 Approved: May 20, 2025 Published: May 21, 2025

How to cite this article: Heidari A.

Computational Simulation of Phase-Molecular Separation-DNA/RNA-Related Function Based on Gene Ontology using Combination of Computational Fluid Dynamics, Machine Learning and Membrane Systems. Ann Adv Chem. 2025; 9(1): 009-018. Available from: https://dx.doi.org/10.29328/journal.aac.1001055

Copyright license: © 2025 Heidari A. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Keywords: Computational simulation; Phasemolecular separation; DNA/RNA; Gene ontology; Fluid dynamics; Machine learning; Membrane systems



Abstract

Our evaluation and its outcomes/outcomes/hints spotlight that gaining a (having to do with measuring matters with numbers) knowledge of the proteome company in living cells, and its outcomes/consequences/tips for the (introduction and production/ organization of objects) of condensates and MLOs, is a critical assignment that the section separation field wishes to face/address. Our findings that dosage-sensitive (tiny chemical meeting commands interior of living things), insufficient (tiny chemical meeting commands internal of living things) and homologs especially, are overrepresented amongst human LLPS drivers, spotlight furthermore the needed component of preserving the mobile (oversupply/huge quantity) of the (bearing on everyone or issue) DNA/RNA merchandise at a great degree well suited with tightly managed LLPS conduct, to keep away from extreme (diseases/the have a look at of diseases) that unexpected errors in any direction may also cause. In-depth close interest of the records on DNA/RNA concentrations used in the LLPS experiments assisting our excessive self-belief dataset of human driver DNA/RNA s laid the uncertainties related with defining the frame-shape-related meaningful ranges of this essential restriction/guiding principle that leads and controls condensate (introduction and production/ organization of items), and recommended how those uncertainties can be lessened (something awful) and (ultimately) shortened.

Graphical abstract: Computational Simulation of Phase-Molecular Separation-DNA/RNA-Related Function Based on Gene Ontology Using Combination of Computational Fluid Dynamics, Machine Learning and Membrane Systems.

Computational Simulation of Phase-Molecular Separation-DNA/RNA-Related Function Based on Gene Ontology using Combination of Computational Fluid Dynamics, Machine Learning and Membrane Systems



Introduction

Probably of thumb, we may also nation that for an entire and accurate category of a given DNA/RNA almost about the function (if any) it plays in LLPS, (combination of various things collectively that paintings as one unit) of a couple of experimental methods is essential. We have to admire that each method offers unique and often (combining in a way to make something better) facts, (in other phrases), in a feel they all have "benefits" and "disadvantages". In trendy, the major gain of in vitro experiments is that the parts/portions of the machine are recognized and they can be perfectly managed, whereas their drawback is that situations are oversimplified and can't (in a way that is near the fact or actual number) summarize frame-shape-related conditions (in terms of partners, after-translational changes, metabolites, mobile crowding, etc.). On the other hand, the important benefit of in vivo measurements is they do record on the LLPS conduct below real/honest frame-structure-related conditions (until DNA/RNA are very much/very badly overexpressed), securing/making sure of the (related to the body characteristic of residing matters) relevance of the LLPS process. Their principal downside lives within the more often than not hidden (underneath) cellular complex issue because key limits/pointers that determine/determine out or influence the LLPS manner are both unknown or can't be controlled. In general, LLPS systems can handiest be properly enough explored, the hidden (under) molecular (machines/ strategies/approaches) absolutely uncovered and the roles of the components/pieces exactly decided/figured out, if *in vivo* and *in vitro* experiments are utilized in mixture and the liquid fabric country of the resulting condensates is (checked for reality/proved genuine). Within the following, we define the predominant categories of LLPS-associated DNA/RNA s on the basis of the clear/separate roles they play in the LLPS system. For every category, we offer a quick "operational" description of the experimental (occasion(s) or item(s) that prove something) needed/demanded to learn (or test) them [1-114].

Results and discussion

Liquid-Liquid Phase Separation (LLPS) is a molecular method that ends in the (creation and construction/ organization of gadgets) of membrane less (unique components of cells that perform precise capabilities), representing functionally (made to do one aspect very well) liquid-like cell condensates formed by DNA/RNA s and nucleic acids. (Combining various things together so they work as one unit) the statistics on LLPS-linked DNA/RNA s from dedicated (pc documents complete of facts) showed/ informed about only modest agreement between them and produced/gave up a high-self-belief dataset of 89 human LLPS drivers. Evaluation of the supporting (occasion(s) or item(s) that prove something) for our dataset exposed a well-concept-



out and probably regarding distinction between DNA/RNA concentrations used in an amazing fraction of the in vitro LLPS experiments, a key restriction/tenet that leads and controls the segment conduct, and the proteomics-obtained/ made from cellular (oversupply/huge amount) levels of the similar DNA/RNA s. Closer attention of the hidden (under) experimental records enabled us to provide a valid reason (for doing something) for this well-concept-out distinction, which draws on our modern-day knowledge of the mobile business enterprise of the proteome and the LLPS method. In help of this motives (for doing something), we discover that (tiny chemical assembly instructions inside of dwelling things) coding for our human LLPS drivers tend to be dosage-touchy, suggesting that their cellular availability is tightly managed to maintain their useful role in direct or indirect relation to condensate (introduction and construction/ group of items). Our analysis gives guideposts for growing agreement among in vitro and in vivo studies, probing the roles of DNA/RNA s in LLPS. To split and label a DNA/RNA as "section separating", therefore, needs/needs a gadget-level information of the segment diagram of the technique within the mobile, and the influence of cell limits/recommendations and states of that/ of it. But such analyses continue to be very difficult because (truly connected or associated) key limits/hints are either now not regarded or cannot be managed. Alternatively, (folks that work to locate records) turn to (ask masses of questions about/attempt to discover the fact about) LLPS inside the take a look at tube, wherein conditions may be effortlessly controlled. There may be, but, no (promise that something will in reality happen or that something will without a doubt work as described) that the findings of in vitro experiments (in a manner it really is near the reality or genuine quantity) represent the system in residing cells, in which delivered/ extra molecular (group of comparable living things) may be present and exceptional prison/regulation-based totally (machines/methods/ways) can be at play. It is, therefore, extraordinarily critical that during vitro (times of watching, noticing, or making statements) on condensate (introduction and creation/ group of gadgets) be tested true via true in vivo experiments. Here, we (determine out the really worth, amount, or first-class of) these differences and examine their origins via cautiously studying the helping (occasion(s) or item(s) that show something) saved (old matters) inside the four wider-scope (pc files complete of records) due to mounted definitions for the four primary LLPS-related DNA/ RNA classes (LLPS driving force, co-driving force, (device that controls something/institution of human beings that ensures guidelines are accompanied), and consumer), and the guide/helping info experimental approaches usually used in LLPS studies. Constructing in this evaluation, we get an excessive-self-belief dataset of human driving force DNA/ RNA s whose central role in LLPS is (suitable or properly enough) supported by means of frame-structure-related (in reality linked or related) in vivo and in vitro experiments. Given the important thing position DNA/RNA awareness

plays in controlling the LLPS method, attention is then gave/ reserved to (giving motives for something) the information on DNA/RNA concentrations used within the assisting experiments and linking the findings to the wanted thing for (change for the higher, over time) to exceptional-song the cell availability of LLPS driver DNA/RNA s so one can preserve their functional function in direct or indirect relation to LLPS (introduction and construction/ organization of gadgets). We hope that our grouped collectively dataset of human LLPS DNA/RNA s will inspire other nicely-idea-out analyses of the available information on LLPS, highlighting further elements that want to be taken under consideration when designing, know-how/explaining, or judging the (related to the frame function of living things) relevance of LLPS experiments. DNA/RNA-structured Liquid-Liquid Segment Separation (LLPS) DNA/RNA s play very crucial roles in cell approaches including pressure granule (creation and production/ group of objects), DNA repair, DNA/RNA (chemically processing and using meals), germ mobile improvement, and DNA/RNA translation regulation. The (exceptional from what is generally expected) conduct of those DNA/RNA s is related to one of a kind disease, specially (related to the breakdown of nerve feature) sicknesses/troubles like amyotrophic lateral bodytissue hardening and frontotemporal intense troubles with questioning and residing, making their identity extraordinarily crucial. However, regular (scientist who studies the chemical substances in dwelling matters)-primarily based strategies for identifying those DNA/RNA s are time-the usage of/eating/ drinking and steeply-priced. Handling this mission, our study developed a sturdy and healthful (math-based totally/laptopbased) model for their identity. We built a whole and thorough dataset containing 137 DNA/RNA-based and 606 non-DNA/ RNA-dependent LLPS DNA/RNA sequences, which have been then (translated/put into secret code) the use of amino acid (paintings of art/inventive combining of elements), (work of art/inventive combining of factors) of k-spaced amino acid pairs, Geary autocorrelation, and grouped together tripleorganization methods. Through a mixture of mathematical dating-associated analysis, from side to side/identical among human being's statistics scoring, and (in small steps up) feature selection, we recognized a great characteristic subset. This subset become used to train a random wooded area model, which (completed or gained with attempt) a (satisfactory of being very near the reality or authentic quantity) of 90% while examined towards an independent dataset. This look at (indicates or proves) the (viable energy or potential inside/ opportunity of) (math-based totally/laptop-primarily based) methods as (producing lots with very little waste) different alternatives for the identity of DNA/RNA-dependent LLPS DNA/RNA s.

Conclusion

DNA/RNA-based Liquid-Liquid Phase Separation (LLPS) DNA/RNA s play very important roles in cellular strategies along with strain granule (introduction and construction/ group of gadgets), DNA repair, DNA/RNA (chemically processing and using food), germ cell improvement, and DNA/RNA translation law. The (specific from what is usually predicted) behavior of these DNA/RNA s is related to exceptional diseases, especially (related to the breakdown of nerve characteristic) sicknesses/issues like amyotrophic lateral body-tissue hardening and frontotemporal excessive troubles with wondering and dwelling, making their identity extremely vital. However, regular (scientist who studies the chemical compounds in living matters) primarily based techniques for identifying those DNA/RNA s are time-the usage of/eating/drinking and steeply-priced. Handling this mission, our have a look at developed a robust and wholesome (mathbased/pc-primarily based) model for their identification. We constructed a complete and thorough dataset containing 137 DNA/RNA-dependent and 606 non-DNA/RNA-established LLPS DNA/RNA sequences, which were then (translated/ positioned into secret code) using amino acid (work of art/ inventive combining of elements), (work of artwork/artistic combining of factors) of ok-spaced amino acid pairs, Geary autocorrelation, and grouped together triple-group methods. Thru an aggregate of mathematical courting-related analysis, back and forth/equal between human being's statistics scoring, and (in small steps up) characteristic choice, we identified a first-rate feature subset. This subset was used to teach a random wooded area model, which (finished or received with effort) a (exceptional of being very near the reality or genuine variety) of 90% while tested in opposition to an independent dataset. This look at (suggests or proves) the (viable power or potential inside/opportunity of) (math-primarily based/ computer-primarily based) methods as (producing a lot with little or no waste) other alternatives for the identity of DNA/ RNA-dependent LLPS DNA/RNA s.

Acknowledgement

This study was supported by the Cancer Research Institute (CRI) Project of Scientific Instrument and Equipment Development, the National Natural Science Foundation of the United Sates, the International Joint BioSpectroscopy Core Research Laboratory (BCRL) Program supported by the California South University (CSU), and the Key project supported by the American International Standards Institute (AISI), Irvine, California, USA.

References

- 1. Heidari A. Different high-resolution simulations of medical, medicinal, clinical, pharmaceutical and therapeutics oncology of human lung cancer translational anti-cancer nano drugs delivery treatment process under synchrotron and X-ray radiations. J Med Oncol. 2017;1(1):1. Available from: https://www.scirp.org/reference/referencespapers?reference id=2776545
- Heidari A. A modern ethnomedicinal technique for transformation, prevention and treatment of human malignant gliomas tumors into human benign gliomas tumors under synchrotron radiation. Am J Ethnomed. 2017;4(1):10. Available from: https://www.imedpub.com/

articles/a-modern-ethnomedicinal-technique-fortransformationprevention-and-treatmentof-human-malignant-gliomas-tumorsintohuman-benign-gli.php?aid=20331

- 3. Heidari A. Active targeted nanoparticles for anti-cancer nano drugs delivery across the blood-brain barrier for human brain cancer treatment, multiple sclerosis (MS) and Alzheimer's diseases using chemical modifications of anti-cancer nano drugs or drug-nanoparticles through Zika virus (ZIKV) nanocarriers under synchrotron radiation. J Med Chem Toxicol. 2017;2(3):1–5. Available from: https://www.scirp. org/reference/referencespapers?referenceid=2776547
- 4. Heidari A. Investigation of medical, medicinal, clinical and pharmaceutical applications of estradiol, mestranol (Norlutin), norethindrone (NET), norethisterone acetate (NETA), norethisterone enanthate (NETE) and testosterone nanoparticles as biological imaging, cell labeling, antimicrobial agents and anti-cancer nano drugs in nanomedicines based drug delivery systems for anti-cancer targeting and treatment. Parana J Sci Educ. 2017;3(4):10–19. Available from: https://www.sciepub.com/reference/369456
- Heidari A. A comparative computational and experimental study on different vibrational biospectroscopy methods, techniques and applications for human cancer cells in tumor tissues simulation, modeling, research, diagnosis and treatment. Open J Anal Bioanal Chem. 2017;1(1):14–20. Available from: http://dx.doi.org/10.17352/ ojabc.000003
- 6. Heidari A. Combination of DNA/RNA ligands and linear/non-linear visible-synchrotron radiation-driven N-doped ordered mesoporous cadmium oxide (CdO) nanoparticles photocatalysts channels resulted in an interesting synergistic effect enhancing catalytic anti-cancer activity. Enz Eng. 2017;6:1. Available from: https://www.scirp.org/reference/ref erencespapers?referenceid=2776550
- 7. Heidari A. Modern approaches in designing ferritin, ferritin light chain, transferrin, beta-2 transferrin and bacterioferritin-based anti-cancer nano drugs encapsulating nanosphere as DNA-binding proteins from starved cells (DPS). Mod Appro Drug Des. 2017;1(1). Available from: https://crimsonpublishers.com/madd/pdf/MADD.000504.pdf
- Heidari A. Potency of human interferon β–1a and human interferon β–1b in enzymotherapy, immunotherapy, chemotherapy, radiotherapy, hormone therapy and targeted therapy of encephalomyelitis disseminate/multiple sclerosis (MS) and hepatitis A, B, C, D, E, F and G virus enter and targets liver cells. J Proteomics Enzymol. 2017;6:1. Available from: https://www.scitechnol.com/peer-review/potencyof-human-interferon-1a-and-human-interferon-1b-in-enzymotherapyimmunotherapy-chemotherapy-radiotherapy-hormone-therapy-an-C0ib. php?article_id=6180
- 9. Heidari A. Transport therapeutic active targeting of human brain tumors enable anti-cancer nanodrugs delivery across the blood-brain barrier (BBB) to treat brain diseases using nanoparticles and nanocarriers under synchrotron radiation. J Pharm Pharmaceutics. 2017;4(2):1–5. Available from: http://dx.doi.org/10.15436/2377-1313.17.034
- 10. Heidari A, Brown C. Combinatorial therapeutic approaches to DNA/RNA and benzylpenicillin (Penicillin G), fluoxetine hydrochloride (Prozac and Sarafem), propofol (Diprivan), acetylsalicylic acid (ASA) (Aspirin), naproxen sodium (Aleve and Naprosyn) and dextromethamphetamine nanocapsules with surface conjugated DNA/RNA to targeted nano drugs for enhanced anti-cancer efficacy and targeted cancer therapy using nano drugs delivery systems. Ann Adv Chem. 2017;1(2):61–69. Available from: https://www.researchgate.net/publication/322350418_Combinatorial_ Therapeutic_Approaches_to_DNARNA_and_Benzylpenicillin_Penicillin_G_ Fluoxetine_Hydrochloride_Prozac_and_Sarafem_Propofol_Diprivan_ Acetylsalicylic_Acid_ASA_Aspirin_Naproxen_Sodium_Aleve_an
- 11. Heidari A. High-resolution simulations of human brain cancer translational nano drugs delivery treatment process under synchrotron radiation. J Transl Res. 2017;1(1):1–3. Available from: https://www.



alliedacademies.org/articles/highresolution-simulations-of-humanbrain-cancer-translational-nano-drugs-delivery-treatment-processunder-synchrotron-radiation.p.pdf

- 12. Heidari A. Investigation of anti-cancer nano drugs' effects' trend on human pancreas cancer cells and tissues prevention, diagnosis and treatment process under synchrotron and X-ray radiations with the passage of time using Mathematica. Curr Trends Anal Bioanal Chem. 2017;1(1):36–41. Available from: https://scholars.direct/Articles/ analytical-and-bioanalytical-chemistry/ctabc-1-005.pdf
- 13. Heidari A. Pros and cons controversy on molecular imaging and dynamics of double-standard DNA/RNA of human preserving stem cells-binding nano molecules with androgens/anabolic steroids (AAS) or testosterone derivatives through tracking of helium-4 nucleus (alpha particle) using synchrotron radiation. Arch Biotechnol Biomed. 2017;1(1):67–100. Available from: https://www.biotechmedjournal.com/articles/abbaid1007.pdf
- 14. Heidari A. Visualizing metabolic changes in probing human cancer cells and tissues metabolism using vivo 1H or proton NMR, 13C NMR, 15N NMR and 31P NMR spectroscopy and self-organizing maps under synchrotron radiation. SOJ Mater Sci Eng. 2017;5(2):1–6. Available from: https://symbiosisonlinepublishing.com/materialsscience-engineering/ materialsscience-engineering50.pdf
- 15. Heidari A. Cavity ring-down spectroscopy (CRDS), circular dichroism spectroscopy, cold vapour atomic fluorescence spectroscopy and correlation spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. Enliven Chall Cancer Detect Ther. 2017;4(2):e001. Available from: https://www.enlivenarchive.org/articles/cavityringdown-spectroscopy-crds-circular-dichroism-spectroscopycoldvapour-atomic-fluorescence-spectroscopy-and-correlation-spec.pdf
- 16. Heidari A. Laser spectroscopy, laser–induced breakdown spectroscopy and laser–induced plasma spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. Int J Hepatol Gastroenterol. 2017;3(4):79– 84. Available from: https://www.sciepub.com/reference/381103
- 17. Heidari A. Time-resolved spectroscopy and time-stretch spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. Enliven Pharmacovigil Drug Saf. 2017;4(2):e001. Available from: https://www.enlivenarchive.org/articles/timeresolved-spectroscopy-and-timestretch-spectroscopy-comparative-study-onmalignant-and-benign-human-cancer-cells-and-tissues-wit.pdf
- 18. Heidari A. Overview of the role of vitamins in reducing negative effect of Decapeptyl (Triptorelin acetate or pamoate salts) on prostate cancer cells and tissues in prostate cancer treatment process through transformation of malignant prostate tumors into benign prostate tumors under synchrotron radiation. Open J Anal Bioanal Chem. 2017;1(1):21–26. Available from: http://dx.doi.org/10.17352/ojabc.000004
- 19. Heidari A. Electron phenomenological spectroscopy, electron paramagnetic resonance (EPR) spectroscopy and electron spin resonance (ESR) spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. Austin J Anal Pharm Chem. 2017;4(3):1091. Available from: https://austinpublishinggroup.com/analytical-pharmaceuticalchemistry/fulltext/ajapc-v4-id1091.php
- 20. Heidari A. Therapeutic nanomedicine different high-resolution experimental images and computational simulations for human brain cancer cells and tissues using nanocarriers deliver DNA/RNA to brain tumors under synchrotron radiation with the passage of time using Mathematica and MATLAB. Madridge J Nanotechnol Nanosci. 2017;2(2):77–83. Available from: https://madridge.org/journal-ofnanotechnology-and-nanoscience/mjnn-1000114.pdf

- 21. Heidari A. A consensus and prospective study on restoring cadmium oxide (CdO) nanoparticles sensitivity in recurrent ovarian cancer by extending the cadmium oxide (CdO) nanoparticles-free interval using synchrotron radiation therapy as antibody-drug conjugate for the treatment of limited-stage small cell diverse epithelial cancers. Cancer Clin Res Rep. 2017;1(2):e001. Available from: https://www.sciepub. com/reference/286662
- 22. Heidari A. A novel and modern experimental imaging and spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under white synchrotron radiation. Cancer Sci Res Open Access. 2017;4(2):1–8. Available from: https:// symbiosisonlinepublishing.com/cancerscience-research/cancerscience-research37.pdf
- 23. Heidari A. Different high-resolution simulations of medical, medicinal, clinical, pharmaceutical and therapeutics oncology of human breast cancer translational nano drugs delivery treatment process under synchrotron and X-ray radiations. J Oral Cancer Res. 2017;1(1):12–17. Available from: http://dx.doi.org/10.36959/915/571
- 24. Heidari A. Vibrational decihertz (dHz), centihertz (cHz), millihertz (mHz), microhertz (μHz), nanohertz (nHz), picohertz (pHz), femtohertz (fHz), attohertz (aHz), zeptohertz (zHz) and yoctohertz (yHz) imaging and spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Int J Biomed. 2017;7(4):335–340. Available from: https://www.ijbm.org/articles/ IJBM_7(4)_IA1.pdf
- 25. Heidari A. Force spectroscopy and fluorescence spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. EC Cancer. 2017;2(5):239–246. Available from: https://www.google.com/search?q= 10.15761%2FIMM.1000342
- 26. Heidari A. Photoacoustic spectroscopy, photoemission spectroscopy and photothermal spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. BAOJ Cancer Res Ther. 2017;3:45–52.
- 27. Heidari A. J-spectroscopy, exchange spectroscopy (EXSY), nuclear Overhauser effect spectroscopy (NOESY) and total correlation spectroscopy (TOCSY) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. EMS Eng Sci J. 2017;1(2):6–13. Available from: https://paper.researchbib.com/view/ paper/171630
- 28. Heidari A. Neutron spin echo spectroscopy and spin noise spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. Int J Biopharm Sci. 2017;1:103–107. Available from: https://www. semanticscholar.org/paper/Neutron-Spin-Echo-Spectroscopy-and-Spin-Noise-Study-Heidar/6eb92a5b7fc778338ac3ae923e5a1bfbf6287cdf
- 29. Heidari A. Vibrational decahertz (daHz), hectohertz (hHz), kilohertz (kHz), megahertz (MHz), gigahertz (GHz), terahertz (THz), petahertz (PHz), exahertz (EHz), zettahertz (ZHz) and yottahertz (YHz) imaging and spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Madridge J Anal Sci Instrum. 2017;2(1):41–46. Available from: http://dx.doi.org/10.18689/mjai-1000109
- 30. Heidari A. Two-dimensional infrared correlation spectroscopy, linear two-dimensional infrared spectroscopy and non-linear two-dimensional infrared spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. J Mater Sci Nanotechnol. 2018;6(1):101. Available from: http://dx.doi.org/10.15744/2348-9812.6.101
- 31. Heidari A. Fourier transform infrared (FTIR) spectroscopy, near-infrared spectroscopy (NIRS) and mid-infrared spectroscopy (MIRS) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. Int J Nanotechnol



Nanomed. 2018;3(1):1–6. Available from: https://www.opastpublishers. com/peer-review/fourier-transform-infrared-ftir-spectroscopy-nearinfrared-spectroscopy-nirs-and-mid-infrared-spectroscopy-mirscomparat-1556.html

- 32. Heidari A. Infrared photo dissociation spectroscopy and infrared correlation table spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. Austin Pharmacol Pharm. 2018;3(1):1011. Available from: https://austinpublishinggroup.com/pharmacology-pharmaceutics/fulltext/app-v3-id1011.pdf
- 33. Heidari A. Novel and transcendental prevention, diagnosis and treatment strategies for investigation of interaction among human blood cancer cells, tissues, tumors and metastases with synchrotron radiation under anti-cancer nano drugs delivery efficacy using MATLAB modeling and simulation. Madridge J Nov Drug Res. 2017;1(1):18–24. Available from: http://dx.doi.org/10.18689/mjndr-1000104
- 34. Heidari A. Comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. Open Access J Trans Med Res. 2018;2(1):26–32. Available from: https:// medcraveonline.com/OAJTMR/OAJTMR-02-00026.pdf
- Gobato MRR, Gobato R, Heidari A. Planting of Jaboticaba trees for landscape repair of degraded area. Landsc Archit Reg Plan. 2018;3(1):1– 9. Available from: https://doi.org/10.11648/j.larp.20180301.11
- 36. Heidari A. Fluorescence spectroscopy, phosphorescence spectroscopy and luminescence spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. SM J Clin Med Imaging. 2018;4(1):1018. Available from: https://www.jsmcentral.org/assets/articles/fulltext_ smjcmi-v4-1018.pdf
- 37. Heidari A. Nuclear inelastic scattering spectroscopy (NISS) and nuclear inelastic absorption spectroscopy (NIAS) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Int J Pharm Sci. 2018;2(1):1–14. Available from: https://www.sciepub.com/reference/381124
- 38. Heidari A. X-ray diffraction (XRD), powder X-ray diffraction (PXRD) and energy-dispersive X-ray diffraction (EDXRD) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. J Oncol Res. 2018;2(1):1–14. Available from: https:// gudapuris.com/articles/10.31829-2637-6148.jor2018-2(1)-e102.pdf
- 39. Heidari A. Correlation two-dimensional nuclear magnetic resonance (NMR) (2D–NMR) (COSY) imaging and spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. EMS Can Sci. 2018;1(1):001. Available from: https://www.sciepub.com/reference/286680
- 40. Heidari A. Thermal spectroscopy, photothermal spectroscopy, thermal microspectroscopy, photothermal microspectroscopy, thermal macrospectroscopy and photothermal macrospectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. SM J Biometrics Biostat. 2018;3(1):1024. Available from: http://dx.doi.org/10.36876/smjbb.1024
- 41. Heidari A. A modern and comprehensive experimental biospectroscopic comparative study on human common cancers' cells, tissues and tumors before and after synchrotron radiation therapy. Open Acc J Oncol Med. 2018;1(1). Available from: http://dx.doi.org/10.32474/ OAJOM.2018.01.000104
- 42. Heidari A. Heteronuclear correlation experiments such as heteronuclear single–quantum correlation spectroscopy (HSQC), heteronuclear multiple–quantum correlation spectroscopy (HMQC) and heteronuclear multiple–bond correlation spectroscopy (HMBC) comparative study on malignant and benign human endocrinology and thyroid cancer cells and tissues under synchrotron radiation. J Endocrinol Thyroid Res. 2018;3(1):555603. Available from: https://juniperpublishers.com/jetr/ pdf/JETR.MS.ID.555604.pdf

- 43. Heidari A. Nuclear resonance vibrational spectroscopy (NRVS), nuclear inelastic scattering spectroscopy (NISS), nuclear inelastic absorption spectroscopy (NIAS) and nuclear resonant inelastic X-ray scattering spectroscopy (NRIXSS) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Int J Bioorg Chem Mol Biol. 2018;6(1e):1–5. Available from: http://dx.doi. org/10.19070/2332-2756-180008e
- 44. Heidari A. A novel and modern experimental approach to vibrational circular dichroism spectroscopy and video spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under white and monochromatic synchrotron radiation. Glob J Endocrinol Metab. 2018;1(3):514–519. Available from: http://dx.doi.org/10.31031/GJEM.2018.01.000514
- 45. Heidari A. Pros and cons controversy on heteronuclear correlation experiments such as heteronuclear single–quantum correlation spectroscopy (HSQC), heteronuclear multiple–quantum correlation spectroscopy (HMQC) and heteronuclear multiple–bond correlation spectroscopy (HMBC) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. EMS Pharma J. 2018;1(1):2–8. Available from: https://www.sciepub.com/ reference/304546
- 46. Heidari A. A modern comparative and comprehensive experimental biospectroscopic study on different types of infrared spectroscopy of malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. J Analyt Molecul Tech. 2018;3(1):8. Available from: https://www.avensonline.org/wp-content/uploads/ JAMT-2474-1914-03-0007.pdf
- 47. Heidari A. Investigation of cancer types using synchrotron technology for proton beam therapy: an experimental biospectroscopic comparative study. Eur Mod Stud J. 2018;2(1):13–29. Available from: https://journalems.com/index.php/emsj/article/view/29
- 48. Heidari A. Saturated spectroscopy and unsaturated spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. Imaging J Clin Medical Sci. 2018;5(1):1–7. Available from: http://dx.doi. org/10.17352/2455-8702.000036
- 49. Heidari A. Small–angle neutron scattering (SANS) and wide–angle X– ray diffraction (WAXD) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Int J Bioorg Chem Mol Biol. 2018;6(2e):1–6. Available from: http://dx.doi. org/10.19070/2332-2756-180009e
- 50. Heidari A. Investigation of bladder cancer, breast cancer, colorectal cancer, endometrial cancer, kidney cancer, leukemia, liver, lung cancer, melanoma, non–Hodgkin lymphoma, pancreatic cancer, prostate cancer, thyroid cancer and non–melanoma skin cancer using synchrotron technology for proton beam therapy: an experimental biospectroscopic comparative study. Ther Res Skin Dis. 2018;1(1). Available from: http:// dx.doi.org/10.32474/TRSD.2018.01.000102
- 51. Heidari A. Attenuated total reflectance Fourier transform infrared (ATR-FTIR) spectroscopy, micro-ATR-FTIR spectroscopy and macro-ATR-FTIR spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. Int J Chem Papers. 2018;2(1):1–12. Available from: https://www. sciepub.com/reference/378645
- 52. Heidari A. Mössbauer spectroscopy, Mössbauer emission spectroscopy and 57Fe Mössbauer spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Acta Sci Cancer Biol. 2018;2(3):17–20.
- 53. Heidari A. Comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. Org Med Chem Int J. 2018;6(1):555676. Available from: https:// medcraveonline.com/OAJTMR/OAJTMR-02-00026.pdf



- 54. Heidari A. Correlation spectroscopy, exclusive correlation spectroscopy and total correlation spectroscopy comparative study on malignant and benign human AIDS-related cancers cells and tissues with the passage of time under synchrotron radiation. Int J Bioanal Biomed. 2018;2(1):001– 007. Available from: https://www.sciresliterature.org/Bioanalysis/IJBB-ID12.pdf
- 55. Heidari A. Biomedical instrumentation and applications of biospectroscopic methods and techniques in malignant and benign human cancer cells and tissues studies under synchrotron radiation and anti-cancer nano drugs delivery. Am J Nanotechnol Nanomed. 2018;1(1):001–009. Available from: https://www.sciepub.com/ reference/367918
- 56. Heidari A. Vivo 1H or proton NMR, 13C NMR, 15N NMR and 31P NMR spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Ann Biomet Biostat. 2018;1(1):1001. Available from: https://www.remedypublications.com/ open-access/vivo-1h-or-proton-nmr-13c-nmr-15n-nmr-and-31p-nmrspectroscopy-comparative-study-on-malignant-and-benign-humancancer-cells-and-tissues-under-synchrotron-radiation-225.pdf
- 57. Heidari A. Grazing–incidence small–angle neutron scattering (GISANS) and grazing–incidence X–ray diffraction (GIXD) comparative study on malignant and benign human cancer cells, tissues and tumors under synchrotron radiation. Ann Cardiovasc Surg. 2018;1(2):1006. Available from: https://www.remedypublications.com/annals-of-cardiovascularsurgery-abstract.php?aid=540
- 58. Heidari A. Adsorption isotherms and kinetics of multi-walled carbon nanotubes (MWCNTs), boron nitride nanotubes (BNNTs), amorphous boron nitride nanotubes (a–BNNTs) and hexagonal boron nitride nanotubes (h–BNNTs) for eliminating carcinoma, sarcoma, lymphoma, leukemia, germ cell tumor and blastoma cancer cells and tissues. Clin Med Rev Case Rep. 2018;5:201. Available from: http://dx.doi. org/10.23937/2378-3656/1410201
- 59. Heidari A. Correlation spectroscopy (COSY), exclusive correlation spectroscopy (ECOSY), total correlation spectroscopy (TOCSY), incredible natural-abundance double-quantum transfer experiment (INADEQUATE), heteronuclear single-quantum correlation spectroscopy (HSQC), heteronuclear multiple-bond correlation spectroscopy (HMBC), nuclear Overhauser effect spectroscopy (NOESY) and rotating frame NOE spectroscopy (ROESY) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Acta Sci Pharm Sci. 2018;2(5):30–35. Available from: https://ideas.repec.org/a/ adp/jomcij/v6y2018i4p103-112.html
- 60. Heidari A. Small-angle X-ray scattering (SAXS), ultra-small angle X-ray scattering (USAXS), fluctuation X-ray scattering (FXS), wide-angle X-ray scattering (WAXS), grazing-incidence SAXS (GISAXS), grazing-incidence WAXS (GIWAXS), small-angle neutron scattering (SANS), GISANS, X-ray diffraction (XRD), PXRD, WAXD, GIXD and EDXRD comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Oncol Res Rev. 2018;1(1):1–10. Available from: https://www.oatext.com/pdf/ORR-1-104.pdf
- 61. Heidari A. Pump-probe spectroscopy and transient grating spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. Adv Mater Sci Engg. 2018;2(1):1–7. Available from: https://www.opastpublishers. com/open-access-articles/pumpprobe-spectroscopy-and-transient-grating-spectroscopy-comparative-study-on-malignant-and-benign-human-cancer-cells-a.pdf
- 62. Heidari A. Grazing–incidence small–angle X–ray scattering (GISAXS) and grazing–incidence wide–angle X–ray scattering (GIWAXS) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Insights Pharmacol Pharm Sci. 2018;1(1):1–8. Available from: http://dx.doi.org/10.36959/898/688
- 63. Heidari A. Acoustic spectroscopy, acoustic resonance spectroscopy and Auger spectroscopy comparative study on anti–cancer nano drugs

delivery in malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. Nanosci Technol. 2018;5(1):1–9.

- 64. Heidari A. Niobium, technetium, ruthenium, rhodium, hafnium, rhenium, osmium and iridium ions incorporation into the nano polymeric matrix (NPM) by immersion of the nano polymeric modified electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. Nanomed Nanotechnol. 2018;3(2):000138. Available from: https://medwinpublishers.com/NNOA/NNOA16000138.pdf
- 65. Heidari A. Homonuclear correlation experiments such as homonuclear single-quantum correlation spectroscopy (HSQC), homonuclear multiple-quantum correlation spectroscopy (HMQC) and homonuclear multiple-bond correlation spectroscopy (HMBC) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Austin J Proteomics Bioinform Genomics. 2018;5(1):1024. Available from: https://austinpublishinggroup.com/proteomicsbioinformatics-genomics/fulltext/ajpbg-v5-id1024.pdf
- 66. Heidari A. Atomic force microscopy based infrared (AFM–IR) spectroscopy and nuclear resonance vibrational spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. J Appl Biotechnol Bioeng. 2018;5(3):142–148. Available from: https://doi. org/10.15406/jabb.2018.05.00129
- 67. Heidari A. Time-dependent vibrational spectral analysis of malignant and benign human cancer cells and tissues under synchrotron radiation. J Cancer Oncol. 2018;2(2):000124. Available from: https:// medwinpublishers.com/article-description.php?artId=2100
- 68. Heidari A. Palauamine and Olympiadane nano molecules incorporation into the nano polymeric matrix (NPM) by immersion of the nano polymeric modified electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. Arc Org Inorg Chem Sci. 2018;3(1). Available from: http://dx.doi.org/10.32474/ AOICS.2018.03.000151
- 69. Gobato R, Heidari A. Infrared spectrum and sites of action of Sanguinarine by molecular mechanics and ab initio methods. Int J Atmos Oceanic Sci. 2018;2(1):1–9. Available from: https://www.sciencepublishinggroup. com/article/10.11648/j.ijaos.20180201.11
- 70. Heidari A. Angelic acid, diabolic acids, draculin and miraculin nano molecules incorporation into the nano polymeric matrix (NPM) by immersion of the nano polymeric modified electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. Med Anal Chem Int J. 2018;2(1):000111. Available from: http://dx.doi. org/10.23880/MACIJ-16000111
- 71. Heidari A. Gamma linolenic methyl ester, 5–heptadeca–5,8,11–trienyl 1,3,4–oxadiazole–2–thiol, sulphoquinovosyl diacyl glycerol, ruscogenin, nocturnoside B, protodioscine B, parquisoside–B, leiocarposide, narangenin, 7–methoxy hespertin, lupeol, rosemariquinone, rosmanol and rosemadiol nano molecules incorporation into the nano polymeric matrix (NPM) by immersion of the nano polymeric modified electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. Int J Pharma Anal Acta. 2018;2(1):007–014. Available from: https://www.sciresliterature.org/Pharmaceutica/IJPAA-ID15.php
- 72. Heidari A. Fourier transform infrared (FTIR) spectroscopy, attenuated total reflectance FTIR spectroscopy, micro–ATR–FTIR, macro–ATR– FTIR, two–dimensional infrared correlation spectroscopy, linear and non–linear 2D IR spectroscopy, AFM–IR spectroscopy, infrared photodissociation, infrared correlation table spectroscopy, NIRS, MIRS, nuclear resonance vibrational spectroscopy, thermal and photothermal IR spectroscopy comparative study on malignant and benign human



cancer cells and tissues under synchrotron radiation with the passage of time. Glob Imaging Insights. 2018;3(2):1–14. Available from: https://ideas.repec.org/a/adp/jomcij/v6y2018i1p6-16.html

- 73. Heidari A. Heteronuclear single-quantum correlation spectroscopy (HSQC) and heteronuclear multiple-bond correlation spectroscopy (HMBC) comparative study on malignant and benign human cancer cells, tissues and tumors under synchrotron and synchrocyclotron radiations. Chron Med Surg. 2018;2(3):144–156. Available from: http://dx.doi. org/10.18689/mjndr-1000110
- 74. Heidari A. Tetrakis [3,5-bis (trifluoromethyl) phenyl] borate (BARF)enhanced precatalyst preparation stabilization and initiation (EPPSI) nano molecules. Med Res Clin Case Rep. 2018;2(1):113–126. Available from: https://scientiaricerca.com/srmrcr/pdf/SRMRCR-02-00023.pdf
- 75. Heidari A. Sydnone, Münchnone, Montréalone, Mogone, Montelukast, Quebecol and Palau'amine–enhanced precatalyst preparation stabilization and initiation (EPPSI) nano molecules. Sur Cas Stud Op Acc J. 2018;1(3). Available from: http://dx.doi.org/10.32474/ SCSOAJ.2018.01.000113
- 76. Heidari A. Fornacite, orotic acid, rhamnetin, sodium ethyl xanthate (SEX) and spermine (spermidine or polyamine) nanomolecules incorporation into the nanopolymeric matrix (NPM). Int J Biochem Biomol. 2018;4(1):1–19. Available from: https://doi.org/10.37628/ijbb.v4i1.289
- 77. Heidari A, Gobato R. Putrescine, cadaverine, spermine and spermidine– enhanced precatalyst preparation stabilization and initiation (EPPSI) nano molecules. Parana J Sci Educ. 2018;4(5):1–14. Available from: https://www.openaccessjournals.com/articles/putrescine-cadaverinespermine-and-spermidine--enhanced-precatalyst-preparationstabilization-and-initiation-eppsi-nano-.pdf
- 78. Heidari A. Cadaverine (1,5-pentanediamine or pentamethylenediamine), diethyl azodicarboxylate (DEAD or DEADCAT) and putrescine (tetramethylenediamine) nano molecules incorporation into the nano polymeric matrix (NPM) by immersion of the nano polymeric modified electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. HIV Sex Health Open J. 2018;1(1):4–11. Available from: https://www.sciepub.com/reference/369530
- 79. Heidari A. Improving the performance of nano–endofullerenes in polyaniline nanostructure–based biosensors by covering californium colloidal nanoparticles with multi–walled carbon nanotubes. J Adv Nanomater. 2018;3(1):1–28. Available from: http://dx.doi. org/10.22606/jan.2018.31001
- 80. Gobato R, Heidari A. Molecular mechanics and quantum chemical study on sites of action of sanguinarine using vibrational spectroscopy based on molecular mechanics and quantum chemical calculations. Malays J Chem. 2018;20(1):1–23. Available from: https://www.researchgate.net/ publication/327395016
- 81. Heidari A. Vibrational biospectroscopic studies on anti-cancer nanopharmaceuticals (Part I). Malays J Chem. 2018;20(1):33–73. Available from: https://www.sciepub.com/reference/381168
- 82. Heidari A. Vibrational biospectroscopic studies on anti-cancer nanopharmaceuticals (Part II). Malays J Chem. 2018;20(1):74–117. Available from: https://www.sciepub.com/reference/369534
- 83. Heidari A. Uranocene $(U(C_8H_8)_2)$ and bis(cyclooctatetraene)iron $(Fe(C_8H_8)_2 \text{ or Fe(COT})_2)$ -enhanced precatalyst preparation stabilization and initiation (EPPSI) nano molecules. Chem Rep. 2018;1(2):1–16. Available from: https://www.semanticscholar.org/paper/Uranocene-(U(C8H8)2)-and-Bis(Cyclooctatetraene)Iron-Heidari/f256e15bc3478e7fe814ccb25cc3a45239a61d2e
- 84. Heidari A. Biomedical systematic and emerging technological study on human malignant and benign cancer cells and tissues biospectroscopic analysis under synchrotron radiation. Glob Imaging Insights.
 2018;3(3):1–7. Available from: https://www.oatext.com/pdf/GII-3-158. pdf

- 85. Heidari A. Deep-level transient spectroscopy and X-ray photoelectron spectroscopy (XPS) comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. Res Dev Mater Sci. 2018;7(2). Available from: http://dx.doi. org/10.31031/RDMS.2018.07.000659
- 86. Heidari A. C70-carboxyfullerenes nano molecules incorporation into the nano polymeric matrix (NPM) by immersion of the nano polymeric modified electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. Glob Imaging Insights. 2018;3(3):1–7. Available from: https://oatext.com/c70-carboxyfullerenes-nanomolecules-incorporation-into-the-nano-polymeric-matrix.php
- 87. Heidari A. The effect of temperature on cadmium oxide (CdO) nanoparticles produced by synchrotron radiation in the human cancer cells, tissues and tumors. Int J Adv Chem. 2018;6(2):140–156. Available from: https://www.sciencepubco.com/index.php/IJAC/article/ view/12521
- 88. Heidari A. A clinical and molecular pathology investigation of correlation spectroscopy (COSY), exclusive correlation spectroscopy (ECOSY), total correlation spectroscopy (TOCSY), heteronuclear single-quantum correlation spectroscopy (HSQC) and heteronuclear multiple-bond correlation spectroscopy (HMBC) comparative study on malignant and benign human cancer cells, tissues and tumors under synchrotron and synchrocyclotron radiations using cyclotron versus synchrotron, synchrocyclotron and the Large Hadron Collider (LHC) for delivery of proton and helium ion (charged particle) beams for oncology radiotherapy. Eur J Adv Eng Technol. 2018;5(7):414-426. Available from: https://ejaet.com/PDF/5-7/EJAET-5-7-414-426.pdf
- 89. Heidari A. Nano molecules incorporation into the nano polymeric matrix (NPM) by immersion of the nano polymeric modified electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. J Oncol Res. 2018;1(1):1–20.
- 90. Heidari A. Use of molecular enzymes in the treatment of chronic disorders. Canc Oncol Open Access J. 2018;1(1):12–15. Available from: https://www.sciepub.com/reference/367953
- 91. Heidari A. Vibrational biospectroscopic study and chemical structure analysis of unsaturated polyamides nanoparticles as anti–cancer polymeric nanomedicines using synchrotron radiation. Int J Adv Chem. 2018;6(2):167–189. Available from: https://www.sciencepubco.com/ index.php/IJAC/article/view/12528
- 92. Heidari A. Adamantane, irene, naftazone and pyridine–enhanced precatalyst preparation stabilization and initiation (PEPPSI) nano molecules. Madridge J Nov Drug Res. 2018;2(1):61–67. Available from: http://dx.doi.org/10.18689/mjndr-1000109
- 93. Heidari A. Heteronuclear single-quantum correlation spectroscopy (HSQC) and heteronuclear multiple-bond correlation spectroscopy (HMBC) comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. Madridge J Nov Drug Res. 2018;2(1):68–74. Available from: http:// dx.doi.org/10.18689/mjndr-1000110
- 94. Heidari A, Gobato R. A novel approach to reduce toxicities and to improve bioavailabilities of DNA/RNA of human cancer cells-containing cocaine (coke), lysergide (lysergic acid diethyl amide or LSD), Δ^{9} -tetrahydrocannabinol (THC), theobromine, caffeine, aspartame (APM) and zidovudine (ZDV) as anti-cancer nano drugs by coassembly of dual anti-cancer nano drugs to inhibit DNA/RNA of human cancer cells drug resistance. Parana J Sci Educ. 2018;4(6):1–17. Available from: https://www.researchgate.net/publication/326925595
- 95. Heidari A, Gobato R. Ultraviolet photoelectron spectroscopy (UPS) and ultraviolet–visible (UV–Vis) spectroscopy comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. Parana J Sci Educ. 2018;4(6):18–33. Available from: http://dx.doi.org/10.13140/RG.2.2.18899.68647



- 96. Gobato R, Heidari A, Mitra A. The creation of C13H20BeLi2SeSi. The proposal of a bio–inorganic molecule, using ab initio methods for the genesis of a nano membrane. Arc Org Inorg Chem Sci. 2018;3(4). Available from: https://www.researchgate.net/publication/326957287
- 97. Gobato R, Heidari A. Using the quantum chemistry for genesis of a nano biomembrane with a combination of the elements Be, Li, Se, Si, C and H. J Nanomed Res. 2018;7(4):241–252. Available from: http://dx.doi. org/10.15406/jnmr.2018.07.00194
- 98. Heidari A. Bastadins and bastaranes–enhanced precatalyst preparation stabilization and initiation (EPPSI) nano molecules. Glob Imaging Insights. 2018;3(4):1–7. Available from: https://oatext.com/bastadinsand-bastaranes%E2%80%93enhanced-precatalyst-preparationstabilization-and-initiation-eppsi-nano-molecules.php
- 99. Heidari A. Fucitol, pterodactyladiene, DEAD or DEADCAT (diethyl azodicarboxylate), skatole, the NanoPutians, thebacon, pikachurin, tie fighter, spermidine and mirasorvone nano molecules incorporation into the nano polymeric matrix (NPM) by immersion of the nano polymeric modified electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. Glob Imaging Insights. 2018;3(4):1–8. Available from: https://www.oatext.com/fucitol-pterodactyladiene-dead-or-deadcat-diethyl-azodicarboxylate-skatole-the-nanoputians-thebacon-pikachurin-tie-fighter.php
- 100. Dadvar E, Heidari A. A review on separation techniques of graphene oxide (GO)/base on hybrid polymer membranes for eradication of dyes and oil compounds: recent progress in graphene oxide (GO)/ base on polymer membranes-related nanotechnologies. Clin Med Rev Case Rep. 2018;5:228. Available from: https://www.clinmedjournals. org/articles/cmrcr/clinical-medical-reviews-and-case-reportscmrcr-5-228.php?jid=cmrcr
- 101. Heidari A, Gobato R. First-time simulation of deoxyuridine monophosphate (dUMP) and vomitoxin (deoxynivalenol (DON))– enhanced precatalyst preparation stabilization and initiation (EPPSI) nano molecules incorporation into the nano polymeric matrix (NPM) by immersion of the nano polymeric modified electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. Parana J Sci Educ. 2018;4(6):46–67. Available from: https://vixra.org/pdf/1811.0456v1.pdf
- 102. Heidari A. Buckminsterfullerene (fullerene), bullvalene, dickite and Josiphos ligands nano molecules incorporation into the nano polymeric matrix (NPM) by immersion of the nano polymeric modified electrode (NPME) as molecular enzymes and drug targets for human hematology and thromboembolic diseases prevention, diagnosis and treatment under synchrotron and synchrocyclotron radiations. Glob Imaging Insights. 2018;3(4):1–7. Available from: https://www.oatext. com/buckminsterfullerene-fullerene-bullvalene-dickite-and-josiphosligands-nano-molecules-incorporation-into-the-nano-polymericmatrix.php
- 103. Heidari A. Fluctuation X-ray scattering (FXS) and wide-angle X-ray scattering (WAXS) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Glob Imaging Insights. 2018;3(4):1–7. Available from: https://oatext.com/fluctuation-x%E2%80%93ray-scattering-fxs-and-wide%E2%80%93angle-x%E2%80%93ray-scattering-waxs-comparative-study-on-malignant-and-benign-human-cancer-cells-and-tissues-under-synchrotron-radiation.php
- 104. Heidari A. A novel approach to correlation spectroscopy (COSY), exclusive correlation spectroscopy (ECOSY), total correlation spectroscopy (TOCSY), incredible natural-abundance double-quantum transfer experiment (INADEQUATE), heteronuclear single-quantum correlation spectroscopy (HSQC), heteronuclear multiple-bond correlation spectroscopy (HMBC), nuclear Overhauser effect spectroscopy (NOESY) and rotating frame nuclear Overhauser effect

spectroscopy (ROESY) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Glob Imaging Insights. 2018;3(5):1–9. Available from: https://www.oatext. com/pdf/GII-3-168.pdf

- 105. Heidari A. Terphenyl-based reversible receptor with rhodamine, rhodamine-based molecular probe, rhodamine-based using the spirolactam ring opening, rhodamine B with ferrocene substituent, calix[4]arene-based receptor, thioether + aniline-derived ligand framework linked to a fluorescein platform, mercuryfluor-1 (fluorescent probe), N,N'-dibenzyl-1,4,10,13-tetraraoxa-7,16diazacyclooctadecane and terphenyl-based reversible receptor with pyrene and quinoline as the fluorophores-enhanced precatalyst preparation stabilization and initiation (EPPSI) nano molecules. Glob Imaging Insights. 2018;3(5):1–9. Available from: https://www.oatext. com/pdf/GII-3-169.pdf
- 106. Heidari A. Small-angle X-ray scattering (SAXS), ultra-small angle X-ray scattering (USAXS), fluctuation X-ray scattering (FXS), wideangle X-ray scattering (WAXS), grazing-incidence small-angle X-ray scattering (GISAXS), grazing-incidence wide-angle X-ray scattering (GIWAXS), small-angle neutron scattering (SANS), grazing-incidence small-angle neutron scattering (GISANS), X-ray diffraction (XRD), powder X-ray diffraction (PXRD), wide-angle X-ray diffraction (WAXD), grazing-incidence X-ray diffraction (GIXD) and energydispersive X-ray diffraction (EDXRD) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Glob Imaging Insights. 2018;3(5):1–10. Available from: https://www.oatext.com/small-angle-x-ray-scattering-saxs-ultrasmall-angle-x-ray-scattering-usaxs-fluctuation-x-ray-scattering-fxswide-angle-x-ray-scattering-waxs-grazing-incidence-small.php
- 107. Heidari A. Nuclear resonant inelastic X-ray scattering spectroscopy (NRIXSS) and nuclear resonance vibrational spectroscopy (NRVS) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Glob Imaging Insights. 2018;3(5):1–7. Available from: https://www.oatext.com/nuclearresonant-inelastic-x-ray-scattering-spectroscopy-nrixss-and-nuclearresonance-vibrational-spectroscopy-nrvs-comparative-study-onmalignant-and-benign-human-cancer-cells.php
- 108. Heidari A. Small-angle X-ray scattering (SAXS) and ultra-small angle X-ray scattering (USAXS) comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation. Glob Imaging Insights. 2018;3(5):1–7. Available from: https://www.oatext. com/small-angle-x-ray-scattering-saxs-and-ultra-small-angle-x-rayscattering-usaxs-comparative-study-on-malignant-and-benign-humancancer.php
- 109. Heidari A. Curious chloride (CmCl3) and titanic chloride (TiCl4)– enhanced precatalyst preparation stabilization and initiation (EPPSI) nano molecules for cancer treatment and cellular therapeutics. J Cancer Res Ther Interv. 2018;1(1):1–10. Available from: https:// www.auctoresonline.org/article/curious-chloride-28cmcl329-andtitanic-chloride-28ticl429E28093enhanced-precatalyst-preparationstabilization-and-initiation-28eppsi29-nano-molecules-for-cancertreatment-and-cellular-therapeutics
- 110. Gobato R, Gobato MRR, Heidari A, Mitra A. Spectroscopy and dipole moment of the molecule C13H20BeLi2SeSi via quantum chemistry using ab initio, Hartree–Fock method in the base set CC–pVTZ and 6–311G**(3df, 3pd). Arc Org Inorg Chem Sci. 2018;3(5):402–409. Available from: http://dx.doi.org/10.32474/AOICS.2018.03.000171
- 111. Heidari A. C60 and C70–encapsulating carbon nanotubes incorporation into the nano polymeric matrix (NPM) by immersion of the nano polymeric modified electrode (NPME) as molecular enzymes and drug targets for human cancer cells, tissues and tumors treatment under synchrotron and synchrocyclotron radiations. Integr Mol Med. 2018;5(3):1–8. Available from: https://www.oatext.com/c60and-c70-encapsulating-carbon-nanotubes-incorporation-into-thenano-polymeric-matrix-npm-by-immersion-of-the-nano-polymericmodified.php



- 112. Heidari A. Two-dimensional (2D) 1H or proton NMR, 13C NMR, 15N NMR and 31P NMR spectroscopy comparative study on malignant and benign human cancer cells and tissues under synchrotron radiation with the passage of time. Glob Imaging Insights. 2018;3(6):1–8. Available from: https://www.oatext.com/two-dimensional-2d-1h-or-proton-nmr-13c-nmr-15n-nmr-and-31p-nmr-spectroscopy-comparative-study-on-malignant-and-benign-human-cancer-cells-and-tissues-under-synchrotron-radiation-with-the-passage-of-time.php
- 113. Heidari A. FT-Raman spectroscopy, coherent anti-Stokes Raman spectroscopy (CARS) and Raman optical activity spectroscopy (ROAS) comparative study on malignant and benign human cancer cells and tissues with the passage of time under synchrotron radiation. Glob Imaging Insights. 2018;3(6):1–8. Available from: https://www.

oatext.com/ft-raman-spectroscopy-coherent-anti-stokes-ramanspectroscopy-cars-and-raman-optical-activity-spectroscopy-roascomparative-study-on-malignant-and-benign-human-cancer-cells-andtissues.php

114. Heidari A. A modern and comprehensive investigation of inelastic electron tunneling spectroscopy (IETS) and scanning tunneling spectroscopy on malignant and benign human cancer cells, tissues and tumors through optimizing synchrotron microbeam radiotherapy for human cancer treatments and diagnostics: an experimental biospectroscopic comparative study. Glob Imaging Insights. 2018;3(6):1–8. Available from: https://www.oatext.com/pdf/GII-3-175.pdf